


8 7 6 5 4 3 2 1

ZONE	REV	DESCRIPTION	DATE	APPROVED
	-	INITIAL RELEASE	161215	


NOTES: UNLESS OTHERWISE SPECIFIED

1. INTERPRET DRAWING IAW THE GLOBAL PROFESSIONAL PUBLICATIONS "DRAWING REQUIREMENTS MANUAL", EIGHTH EDITION.
2. INTERPRET DIMENSIONS AND TOLERANCES IAW ANSI Y14.5M - 1982.
3. INTERPRET ABBREVIATIONS IAW MIL-STD-12.
4. WEIGHT = 11.5 POUNDS (5.22 KG)




TOP

4X PEM NUTS IN ATN ENCLOSURE (ON BOTH SIDES)
ALLOW USER SUPPLIED MOUNTING BRACKET TO BE FASTENED TO ENCLOSURE WITH 8-32 FASTENERS




FRONT

LED INDICATES POWER ON/OFF STATUS




SIDE



REAR

DB-15 CONNECTOR. CONNECTS TO PT-II-CE CONTROLLER

COOLING AIR INLET BOTH SIDES.
ALLOW AT LEAST 2 INCHES (50MM) FREE SPACE AROUND ENCLOSURE. DO NOT RESTRICT AIR FLOW. VENTILLATED ELECTRONIC RACKS ARE HIGHLY RECOMMENDED..



BOTTOM

QUANTITY PER ASSEMBLY	CAGE CODE	PART OR IDENTIFYING NO.	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION	ZONE	ITEM NO
1		-	CONNECTOR, TYPE HN FEMALE			3
1		-	CONNECTOR, TYPE N FEMALE			2
1	E	00002926	ATN-10-A2 AUTOMATIC IMPEDANCE MATCH NET			1

PARTS LIST		DRAWN		MATERIALS SCIENCE, INC.	
		J. MILLER	16/12/15	Vocuum Grid Thin Film Technology RF Co. And More Inc. Dept. 1A 8758	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:		CHECK		THIS DRAWING CONTAINS PROPRIETARY INFORMATION AND ANY REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING WITHOUT WRITTEN PERMISSION FROM MATERIALS SCIENCE, INC. IS EXPRESSLY PROHIBITED.	
DECIMALS	ANGLES	INSTALLATION CONTROL DRAWING, ATN-10-A2 MATCHING NET			
XX 1.000	XX 1.000				
MACHINE SURFACES UNLESS OTHERWISE SPECIFIED		FINISH		SIZE	REV
N/A		DO NOT SCALE DRAWING		E	-
NEXT ASSEMBLY	USED ON	SCALE	1/1	CAGE CODE	00002926
APPLICATION		WT.		DWG. NO.	
				DATE	161215
				APP.	
				SHEET	1 OF 1

8 7 6 5 4 3 2 1

00002926

A